

PATONS 2 ply and 3 ply weights SC136

Sizes to fit 17-19 inch chest, up to six months

1/6d



Contented quartet—in Patons brands of course!

There are four pretty matinee coats here for you to choose from.

Sizes to fit 17 to 19 inch chest, up to six months old

PLEASE READ THIS FIRST

Abbreviations

K.=knit; P.=purl; st.=stitch; sl.=slip; w.fwd.=wool forward; w.r.n.=wool round needle; p.s.s.o.=pass slip stitch over; tog.=together; t.b.l.=through back of loops; inc.=increase by working into front and back of stitch; dec.=decrease by working 2 sts. together; beg.=beginning; alt.=alternate; rep.=repeat; patt.=pattern; ins.=inches; M.1P.=Make 1 purlwise by picking up loop that lies between st. just worked and following st. and purling into back of it; Tw.2F.=Twist 2 Front by knitting into front of 2nd st., then front of first st. on left-hand needle and slipping 2 sts. off needle together; Tw.2B.=Twist 2 Back by knitting into back of 2nd st., then back of first st. on left-hand needle and slipping 2 sts. off needle together.

How to check your tension

Before you knit these designs check your tension carefully. Take a pair of No. 10 needles, and some Patons 3 ply. Cast on 15 stitches and work in stocking stitch—1 row knit; 1 row purl—for 19 rows. Cast off; press lightly on wrong side. The tension should be 15 sts. and 19 rows to two square inches and the knitted square should measure 2 inches each way. If the square is bigger your work is too loose; try a size finer needle. If it is smaller your work is too tight; try a size coarser needle. If you knit to the correct tension in stocking stitch, you will knit naturally to the correct tension for any stitch in this booklet. If you alter the needles to obtain the correct tension in stocking stitch, corresponding alterations must be made to the needles throughout.

With threaded yoke

Width all round	ins.	17-19
Length from top of shoulder	ins.	9
Sleeve seam	ins.	4½
Patons Beehive Baby Wool 3 ply, Patonised		
× 1 oz. balls		2
Contrast for chain		Oddment
Patons Brilliante 3 ply, 100% Bri-Nylon		
× 1 oz. balls		3
Contrast for chain		Oddment

You must use the Patons brands recommended above to be sure of a successful result.


Two No. 10 BEEHIVE needles or QUEEN BEE if stainless rigid needles preferred, measured by BEEHIVE gauge. Three buttons. A crochet hook.

Tension

15 sts. and 19 rows to two square inches on No. 10 needles measured over stocking stitch.

See above for how to check your Tension, and Abbreviations.

This garment has been specially designed for the size given and it is regretted that no other adaptations are available.



Commencing at neck edge, cast on 56 sts.

Work Yoke as follows:—

1st to 3rd row—K.

4th row—P.

5th row—K.2, * w.fwd., K.2 tog., w.fwd., K.3, rep. from * to last 4 sts., w.fwd., K.2 tog., w.fwd., K.2.

6th row—P.

7th to 9th row—K.

10th row—P.6, (M.1P, P.3) 19 times, P.4 (86 sts.).

11th to 19th row—As 1st to 9th row (103 sts.).

20th row—(P.3, M.1P.) 33 times, P.4 (136 sts.).

21st to 28th row—As 1st to 8th row (163 sts.).

Work raglan shaping as follows:—

Next row—K.25, w.fwd., K.1, w.fwd., K.30, w.fwd., K.1, w.fwd., K.49, w.fwd., K.1, w.fwd., K.30, w.fwd., K.1, w.fwd., K.25.

Next row—K.1, P. to last st., K.1.

Next row—K.26, w.fwd., K.1, w.fwd., K.32, w.fwd., K.1, w.fwd., K.51, w.fwd., K.1, w.fwd., K.32, w.fwd., K.1, w.fwd., K.26.

Continue in this manner, inc. on every alt. row until the row "K.35, w.fwd., K.1, w.fwd., K.50, w.fwd., K.1, w.fwd., K.69, w.fwd., K.1, w.fwd., K.50, w.fwd., K.1, w.fwd., K.35" has been worked (251 sts.).

Next row—K.1, P. to last st., K.1.

Work Left Front as follows:—

Next row—K.37, turn.

Next row—K.1, P.35, K.1.

Continue in stocking stitch as on these 2 rows, inc. 1 st. at end (side edge) of next and every following 8th row until there are 41 sts.

Continue on these sts. until work measures 4 ins. from where sts. were divided at Yoke, finishing at end of a P. row.

Work mitred corner as follows:—

1st row—Cast on 1 st., K. to end.

2nd row—K.

Rep. these 2 rows twice.

K. 1 row.

Cast off.

Rejoin wool/yarn to sts. on needle and work

First Sleeve as follows:—

Next row—K.52, turn.

** Continue in stocking stitch as before dec. 1 st. at both ends of 3rd and every following 6th row until 44 sts. remain.

Continue on these sts. until work measures 3½ ins. from where sts. were divided, finishing at end of a P. row.

Next row—K.2 tog. all across row (22 sts.).

Next row—K.

Next row—K.3, (inc. in next st., K.1) 7 times, inc. in next st., K. to end (30 sts.).

K.12 rows.

Cast off loosely.

Rejoin wool/yarn to sts. on needle and work **Back** as follows:—

Next row—K.73, turn.

Continue in stocking stitch, inc. 1 st. at both ends of 2nd and every following 8th row until there are 81 sts.

Continue on these sts. until work measures 4 ins. from where sts. were divided.

K. 7 rows.

Cast off.

Rejoin wool/yarn to sts. on needle.

Next row—K.52, turn.

Complete as for First Sleeve, working from ** to end.

Rejoin wool/yarn to remaining sts. on needle and complete Right Front to match Left Front, reversing all shapings.

RIGHT FRONT BAND

With right side of work facing, commencing at mitred corner of Right Front but omitting garter stitch edge, **knit up** 46 sts. along Front edge.

1st row—K. to end, **knit up** 1 st. from mitred corner.

2nd row—K.

3rd row—As 1st row.

4th row—(On which buttonholes are worked)—K.35, (w.fwd., K.2 tog., K.3) twice, w.fwd., K.2 tog., K.1.

5th row—K. to end, **knit up** 1 st. from mitred corner and 1 st. from cast-off edge.


Cast off.

LEFT FRONT BAND

Omitting buttonholes and reading purl for knit throughout, work as for Right Front Band.

TO MAKE UP

With wrong side of work facing, block fabric by pinning out round edges. Taking care not to stretch yoke, press using a warm iron and damp cloth for wool; a cool iron and dry cloth for yarn. Join side and sleeve seams. Attach buttons.



CORD

Using Contrast wool and crochet hook, work a chain 50 ins. in length. Thread cord through row of holes as in diagram. Fasten ends securely.

Fancy pattern in pink!

To fit chest	ins.	18
Length from top of shoulder	ins.	8
Sleeve seam	ins.	4½
Patons Beehive 2 ply, Patonised	× 1 oz. ball	1
Patons Brilliante 2 ply, 100% Bri-Nylon	× 1 oz. balls	2

You must use the Patons brands recommended above to be sure of a successful result.

Two No. 10 and two No. 8 BEEHIVE needles or QUEEN BEE if stainless rigid needles preferred, measured by BEEHIVE gauge. Five buttons.

Tension

14 sts. and 18 rows to two square inches on No. 8 needles measured over stocking stitch.

See page 2 for how to check your Tension, and Abbreviations.

This garment has been specially designed for the size given and it is regretted that no other adaptations are available.



LEFT FRONT

Using No. 10 needles, cast on 35 sts.

Work 10 rows in moss stitch (every row * K.1, P.1, rep. from * to last st., K.1).

Next row—* K.1, P.1, rep. from * to last 7 sts., slip these sts. on to a safety pin and leave.

Next row—K.1, P. to last 3 sts., P.2 tog., K.1 (27 sts.).

Change to No. 8 needles and proceed in lace patt. as follows:—

1st row—K.2, * sl.1, K.2, pass the slip st. over the 2 sts. just knitted (this action will now be referred to as p.s.s.o. 2 sts.), K.7, rep. from * to last 5 sts., sl.1, K.2, p.s.s.o. 2 sts., K.2.

2nd row—K.1, P.2, * w.r.n., P.9, rep. from * to last 3 sts., w.r.n., P.2, K.1.

3rd row—K.1, * K.2 tog., w.fwd., K.1, w.fwd., sl.1, K.1, p.s.s.o., K.5, rep. from * to last 6 sts., K.2 tog., w.fwd., K.1, w.fwd., sl.1, K.1, p.s.s.o., K.1.

4th row—K.1, P. to last st., K.1.

5th row—* K.7, sl.1, K.2, p.s.s.o. 2 sts., rep. from * to last 7 sts., K.7.

6th row—K.1, P.7, w.r.n., P.9, w.r.n., P.7, K.1.

7th row—K.1, * K.5, K.2 tog., w.fwd., K.1, w.fwd., sl.1, K.1, p.s.s.o., rep. from * to last 6 sts., K.6.

8th row—K.1, P. to last st., K.1.

These 8 rows form the patt.

Rep. 1st to 8th row 3 times more.

** Keeping patt. correct, **shape armhole** by casting off 3 sts. at beg. of next row.

Dec. 1 st. at armhole edge on every alt. row until 4 dec. have been worked at armhole edge.

Continue in patt. until work measures 2 ins. from beg. of armhole shaping, finishing at front edge.

Shape neck by casting off 2 sts. at beg. of next row.

Dec. 1 st. at neck edge on every row until 4 dec. have been worked at neck edge.

Continue on remaining sts. until work measures 3½ ins. from beg. of armhole shaping, finishing at armhole edge.

Shape shoulder by casting off 7 sts. at beg. of next and alt. row.

RIGHT FRONT

Using No. 10 needles, cast on 35 sts.

Work 4 rows in moss stitch.

Next row—(on which buttonhole is worked)—K.1, P.1, K.1, w.fwd., K.2 tog., * P.1, K.1, rep. from * to end.

Work 6 rows in moss stitch.

Next row—K.1, P.2 tog., P. to last 8 sts., K.1.

Slip remaining 7 sts. on to a safety pin and leave (27 sts.).

Change to No. 8 needles and work 1st to 8th row of lace patt. 4 times, then 1st row once.

Complete to match Left Front, working from ** to end.

BACK

Using No. 10 needles, cast on 61 sts.

Work 11 rows in moss stitch.

Next row—K.1, P.27, (K.1, P.1) twice, K.1, P.27, K.1.

Change to No. 8 needles and proceed in lace patt. with centre moss stitch panel as follows:—

1st row—K.2, (sl.1, K.2, p.s.s.o. 2 sts., K.7) twice, sl.1, K.2, p.s.s.o. 2 sts., K.2, (P.1, K.1) 3 times, P.1, K.2, (sl.1, K.2, p.s.s.o. 2 sts., K.7) twice, sl.1, K.2, p.s.s.o. 2 sts., K.2.

2nd row—K.1, P.2, (w.r.n., P.9) twice, w.r.n., P.4, (K.1, P.1) twice, K.1, P.4, (w.r.n., P.9) twice, w.r.n., P.2, K.1.

3rd row—K.1, (K.2 tog., w.fwd., K.1, w.fwd., sl.1, K.1, p.s.s.o., K.5) twice, K.2 tog., w.fwd., K.1, w.fwd., sl.1, K.1, p.s.s.o., K.1, (P.1, K.1) 4 times, (K.2 tog., w.fwd., K.1, w.fwd., sl.1, K.1, p.s.s.o., K.5) twice, K.2 tog., w.fwd., K.1, w.fwd., sl.1, K.1, p.s.s.o., K.1.

4th row—K.1, P.27, (K.1, P.1) twice, K.1, P.27, K.1.

5th row—(K.7, sl.1, K.2, p.s.s.o. 2 sts.) twice, K.7, (P.1, K.1) 3 times, P.1, (K.7, sl.1, K.2, p.s.s.o. 2 sts.) twice, K.7.

6th row—K.1, P.7, w.r.n., P.9, w.r.n., P.9, (K.1, P.1) twice, K.1, (P.9, w.r.n.,) twice, P.7, K.1.

7th row—K.1, (K.5, K.2 tog., w.fwd., K.1, w.fwd., sl.1, K.1, p.s.s.o.) twice, K.6, (P.1, K.1) 3 times, P.1, K.6, (K.2 tog., w.fwd., K.1, w.fwd., sl.1, K.1, p.s.s.o., K.5) twice, K.1.

8th row—K.1, P.27, (K.1, P.1) twice, K.1, P.27, K.1

Rep. 1st to 8th row 3 times more.

Keeping patt. correct **shape armholes** by casting off 3 sts. at beg. of next 2 rows.

Dec. 1 st. at both ends of every alt. row until 4 sets of dec. have been worked.

Continue without further shaping until work measures same as Fronts up to shoulder shaping.

Shape shoulders by casting off 7 sts. at beg. of next 4 rows.

Cast off.

SLEEVES

Using No. 10 needles, cast on 29 sts.

Work 9 rows in moss stitch.

Next row—Moss stitch 4, (inc. in next st., moss stitch 2) 7 times, inc. in next st., moss stitch to end (37 sts.).

Change to No. 8 needles and proceed in lace patt. as on Front (**noting** that the 6th row will read:—“K.1, P.7, * w.r.n., P.9, rep. from * to last 8 sts., w.r.n., P.7, K.1”) inc. 1 st. at both ends of 9th and every following 6th row until there are 45 sts.

Continue on these sts. until work measures $4\frac{1}{2}$ ins. from beg.

Shape top by casting off 1 st. at beg. of next 14 rows, then 2 sts. at beg. of next 12 rows.

Cast off knitting 2 tog. all across row to last st., cast off last st.

RIGHT FRONT BAND

Slip sts. from Right Front Band on to a No. 10 needle.

Proceed in moss stitch, working a buttonhole as before on every 18th row from previous buttonhole until 4 buttonholes **in all** have been worked. Work 14 rows.

Slip sts. on to a safety pin.

LEFT FRONT BAND

Omitting buttonholes, work as Right Front Band.


NECKBAND

Using a fine back-stitch seam, join shoulders of Back and Fronts.

Slip sts. from top of Right Front Band on to a No. 10 needle, with right side of work facing using same needle **knit up** 61 sts. round neck, work in moss stitch across sts. of Left Front Band.

Work 5 rows in moss stitch, working a buttonhole as before on 4th row.

Cast off in moss stitch.



TO MAKE UP

With wrong side of work facing, block each piece by pinning out round edges. Press each piece using a warm iron and damp cloth for wool; a cool iron and dry cloth for yarn. Using a flat seam join side and sleeve seams and stitch Sleeves into position. Stitch down Front Bands. Attach buttons. Press seams.

Baby's 'little lacy number'!

Width	ins.	18
Length from top of shoulder	ins.	11
Sleeve seam	ins.	5
Patons Beehive 2 ply, Patonised	× 1 oz. balls.	2
Patons Brilliante 2 ply, 100% Bri-Nylon	× 1 oz. balls.	3

You must use the Patons brands recommended above to be sure of a successful result.


Two No. 12 and two No. 11 BEEHIVE needles or QUEEN BEE if stainless rigid needles preferred, measured by BEEHIVE gauge. Length of ribbon.

Tension

17 sts. and 21 rows to two square inches on No. 11 needles measured over stocking stitch.

See page 2 for how to check your Tension, and Abbreviations.

This garment has been specially designed for the size given and it is regretted that no other adaptations are available.



RIGHT FRONT

Using No. 12 needles and the **two** needle method, cast on 65 sts.

Work fancy hem as follows:—

1st row—K.

2nd and alt. rows—K.1, P. to last st., K.1.

3rd row—K.1, * w.fwd., K.2 tog., rep. from * to end.

5th row—K.2, * w.fwd., K.2 tog., rep. from * to last st., K.1.

7th row—**Make hem** by knitting tog. one st. from needle and one loop from cast-on edge all across row.

Change to No. 11 needles and proceed in lace patt. as follows:—

1st, 3rd and 5th rows—K.1, * P.11, P.2 tog., w.r.n., rep. from * to last 12 sts., P.11, K.1.

2nd row—K.1, * K.5, w.fwd., K.2 tog. t.b.l., K.4, K.2 tog., w.fwd., rep. from * to last 12 sts., K.5, w.fwd., K.2 tog. t.b.l., K.5.

4th row—K.1, * K.3, K.2 tog., w.fwd., K.1, w.fwd., K.2 tog. t.b.l., K.3, K.2 tog., w.fwd., rep. from * to last 12 sts., K.3, K.2 tog., w.fwd., K.1, w.fwd., K.2 tog. t.b.l., K.4.

6th row—K.1, * K.2, K.2 tog., w.fwd., K.3, w.fwd., K.2 tog. t.b.l., K.2, K.2 tog., w.fwd., rep. from * to last 12 sts., K.2, K.2 tog., w.fwd., K.3, w.fwd., K.2 tog. t.b.l., K.3.

These 6 rows form the lace patt.

Rep. these 6 rows 10 times more.

Next row—P.2 tog., P.3 tog., * P.2 tog., P.2, P.3 tog., P.2, P.3 tog., P.1, rep. from * to last 8 sts., P.2 tog., P.1, P.3 tog., P.2 tog.

Change to No. 12 needles and work twist patt. waistband as follows:—

1st row—* P.2, Tw.2B., rep. from * to last 2 sts., P.2.

2nd row—* K.2, P.2, rep. from * to last 2 sts., K.2.

3rd row—* P.2, Tw.2F., rep. from * to last 2 sts., P.2.

4th row—* K.2, P.2, rep. from * to last 2 sts., K.2. Rep. 1st to 3rd row once.

Next row—K.1, P. to last st., K.1.

Change to No. 11 needles. **

Knitting st. at both ends of every row throughout work 3 rows in stocking stitch.

*** Still working in stocking stitch as before **shape armhole** by casting off 4 sts. at beg. of next row.

Dec. 1 st. at armhole edge on next and every alt. row until 29 sts. remain.

Work 15 rows in stocking stitch.

Shape neck by casting off 6 sts. at beg. of next row. Dec. 1 st. at neck edge on every row until 18 sts. remain.

Continue on these sts. until work measures $3\frac{1}{2}$ ins. from beg. of armhole shaping, finishing at armhole edge.

Shape shoulder by casting off 9 sts. at beg. of next and alt. rows.

LEFT FRONT

Work as Right Front until ** is reached.

Work 2 rows in stocking stitch.

Complete as for Right Front, working from *** to end.

BACK

Using No. 12 needles and the **two** needle method, cast on 130 sts. **noting** that an extra stitch will be knitted at end of 3rd and 5th rows of fancy hem, work as Right Front until ** is reached (78 sts.). Work 2 rows in stocking stitch.

Still working in stocking stitch **shape armholes** by casting off 5 sts. at beg. of next 2 rows. Dec. 1 st. at both ends of next and every alt. row until 60 sts. remain.

Continue on these sts. until work measures same as Fronts to shoulder shaping.

Shape shoulders by casting off 9 sts. at beg. of next 4 rows.

Cast off.

SLEEVES

Using No. 12 needles and the **two** needle method, cast on 35 sts.

Work 1st to 7th row of fancy hem as on Right Front.

Commencing with a P. row, work 3 rows in stocking stitch, dec. 1 st. at end of last row (34 sts.).

Proceed in twist stitch as follows:—

1st row—* P.1, Tw.2F., rep. from * to last st., P.1.

2nd row—* K.1, P.2, rep. from * to last st., K.1.

3rd row—* P.1, Tw.2B., rep. from * to last st., P.1.

4th row—* K.1, P.2, rep. from * to last st., K.1. Rep. 1st to 3rd row once.

Next row—K.1, P.2, (inc. in next st. purlwise, P.1) 15 times, K.1. (49 sts.).

Change to No. 11 needles and proceed in stocking stitch, inc. 1 st. at both ends of 9th and every following 8th row until there are 55 sts.

Continue on these sts. until work measures 5 ins. from lower edge.

Shape top by casting off 1 st. at beg. of every row until 37 sts. remain, 2 sts. at beg. of every row until 21 sts. remain.

Cast off, knitting 2 tog. all across row to last st., cast off last st.

FRONT BANDS

Using No. 11 needles, with right side facing **knit up** 55 sts. along front edge (one st. from every ridge formed by knit st. edge).

1st row—* P.1, w.r.n., rep. from * to last st., P.1 (109 sts.).

Change to No. 12 needles.

2nd row—K.

3rd row—P.2, * w.r.n., P.2 tog., rep. from * to last st., P.1.

4th row—K.

5th row—P.

Cast off loosely.

Fold over and stitch cast-off edge to knitted-up row on wrong side of work.

Complete second Front Band to match.

NECKBAND

Using a fine back-stitch seam, join shoulders of Back and Fronts.

Using No. 12 needles with right side facing, **knit up** 65 sts. round neck.

1st row—P.1, * w.r.n., P.2 tog., rep. from * to end.

Complete as Front Bands, working from 2nd row to end.

TO MAKE UP

With wrong side of work facing, block each piece by pinning out round edges. Press each piece very lightly using a warm iron and damp cloth for wool; a cool iron and dry cloth for yarn. Using a flat seam, join side and sleeve seams and stitch Sleeves into position. Attach ribbon to waist and neck. Press seams.

Flowered yoke

Width all round at underarm	ins.	19
Length from top of shoulder	ins.	8½
Sleeve seam	ins.	5½
Patons Beehive Baby Wool 3 ply, Patonised		
Light	× 1 oz. balls	2
Dark	(approx. ½ oz.)	Oddment
Patons Brilliante 3 ply, 100% Bri-Nylon		
Light	× 1 oz. balls	3
Dark	(approx. ½ oz.)	Oddment

You must use the Patons brands recommended above to be sure of a successful result.


Two No. 12 and two No. 10 BEEHIVE needles or QUEEN BEE if stainless rigid needles preferred, measured by BEEHIVE gauge. Six buttons.

Tension

15 sts. and 19 rows to two square inches on No. 10 needles measured over stocking stitch.

See page 2 for how to check your Tension, and Abbreviations.

This garment has been specially designed for the size given and it is regretted that no other adaptations are available.



LEFT FRONT

Using No. 12 needles and Dark, cast on 33 sts.

Proceed in fancy rib as follows:—

1st row—K.2, * P.1, K.1, rep. from * to last st., K.1.

2nd row—K.1, P. to last st., K.1.

3rd to 14th row—Rep. 1st and 2nd rows 6 times.

15th row—As 1st row.

Break off Dark.

16th row—Using Light as 2nd row.

Change to No. 10 needles and still using Light, proceed in wide rib as follows:—

1st row—K.4, * P.1, K.7, rep. from * to last 5 sts., P.1, K.4.

2nd row—K.1, P. to last st., K.1.

Rep. these 2 rows 16 times more.

Keeping wide rib correct, shape armhole by casting off 4 sts. at beg. of next row.

Dec. 1 st. at armhole edge on every alt. row until 25 sts. remain.

Work 5 rows without shaping.

** Working in stocking stitch for remainder of Front, continue until work measures $2\frac{1}{4}$ ins. from beg. of armhole shaping, finishing at front edge.

Shape neck by casting off 3 sts. at beg. of next row. Dec. 1 st. at neck edge on every row until 16 sts. remain.

Continue on these sts. until work measures $3\frac{3}{4}$ ins. from beg. of armhole shaping, finishing at armhole edge.

Shape shoulder by casting off 8 sts. at beg. of next and alt. row.

RIGHT FRONT

Work as Left Front until armhole shaping is reached.

Work 1 row.

Shape armhole as for Left Front.

Work 4 rows without shaping.

Complete as for Left Front working from ** to end.

BACK

Using No. 12 needles and Dark, cast on 71 sts.
Work fancy rib as on Left Front, 1st to 16th row.

Change to No. 10 needles and still using Light, proceed in **wide rib** as follows:—

1st row—K.3, * P.1, K.7, rep. from * to last 4 sts., P.1, K.3.

2nd row—K.1, P. to last st., K.1.

Rep. these 2 rows 16 times more.

Keeping wide rib correct **shape armholes** by casting off 4 sts. at beg. of next 2 rows.

Dec. 1 st. at both ends of next and every alt. row until 55 sts. remain.

Work 5 rows without shaping.

Proceed in stocking stitch until work measures same as Fronts to shoulder shaping.

Shape shoulders by casting off 8 sts. at beg. of next 4 rows. Cast off.

SLEEVES

Using No. 12 needles and Dark, cast on 37 sts.
Rep. 1st and 2nd rows of fancy rib as on Left Front 6 times, then 1st row once.

Break off Dark.

Next row—Using Light, K.1, P.4, (inc. in next st., P.2) 9 times, inc. in next st., P. to last st., K.1 (47 sts.).

Change to No. 10 needles and still using Light, proceed in wide rib as on Back, inc. 1 st. at both ends of 12th and following 18th row (51 sts.).
Continue on these sts. until work measures $5\frac{1}{2}$ ins. from beg.

Keeping wide rib correct, **shape top** by casting off 1 st. at beg. of every row until 43 sts. remain, then work in stocking stitch casting off 1 st. at beg. of every row until 37 sts. remain.

Continue in stocking stitch, casting off 2 sts. at beg. of every row until 17 sts. remain. Cast off knitting 2 tog. to last st., cast off last st.

RIGHT FRONT BAND

Using No. 12 needles and Dark, cast on 9 sts.

1st row—K.2, (P.1, K.1) 3 times, K.1.

2nd row—K.1, (P.1, K.1) 4 times.

3rd row—Rib 4, w.fwd., K.2 tog., rib to end.

4th row—As 2nd row.

Continue in rib, working a buttonhole as on 3rd row on every following 16th row from previous buttonhole until 5 buttonholes in all have been worked.

Work 10 rows.

Break off wool/yarn.

Slip sts. on to a safety pin.

LEFT FRONT BAND

Omitting buttonholes, work to match Right Front Band, finishing at end of a second row.

NECKBAND

Using a fine back-stitch seam, join shoulders of Back and Fronts.

Slip sts. from Right Front Band on to No. 12 needle right side of work facing and using same needle and Dark, **knit up** 55 sts. round neck.

Work in rib across sts. of Left Front Band (73 sts.).

Work 5 rows in K.1, P.1 rib as on Front Bands, working a buttonhole as before on 4th row.

Cast off in rib.

TO MAKE UP AND EMBROIDERY

Omitting ribbing, with wrong side of work facing block each piece by pinning out round edges. Omitting ribbing, press each piece using a warm iron and damp cloth for wool; a **cool** iron and **dry** cloth for yarn. Using a flat seam, join side and sleeve seams and stitch Sleeves into position. Stitch down Front Bands.



Run a double length of Dark wool/yarn up each purl rib on Back, Fronts and Sleeves. Using Dark, work a lazy daisy at top of purl ribs. See Diagram and Photograph. Attach buttons. Press seams.

Please address knitting enquiries concerning this booklet to Mrs. Sarah Bell, Patons & Baldwins Limited, Great West Road, Brentford, Middlesex. Prices apply only in Great Britain and Northern Ireland

PUBLISHED BY PATONS & BALDWIN'S LIMITED

Made and Printed in Great Britain by Percy Lund, Humphries & Co. Ltd, Bradford and London

35737